

Dane aktualne na dzień: 10-10-2026 03:25

Link do produktu: <https://www.poweraudio.pl/scan-speak-subwoofer-30w4558t00-p-2719.html>



Scan Speak Subwoofer 30W/4558T00

Cena	1 479,99 zł
Czas wysyłki	Do 24 godziny
Producent	Scan Speak

Opis produktu



Najlepszy subwoofer w ofercie firmy Scan Speak. Od teraz bas nie musi być już tylko łomotem i dudnieniem.

Ten głośnik wraz z membraną pasywną daje niesamowicie szybki i niski bas.

Zapytaj o rabat przy zakupie głośnika wraz z membraną:

Scan Speak 30W/0-00-00
+
Scan Speak 30W/4558T00



T-S Parameters

Resonance frequency [fs]	17 Hz
Mechanical Q factor [Qms]	5.01
Electrical Q factor [Qes]	0.34
Total Q factor [Qts]	0.32
Force factor [Bl]	10.5 Tm
Mechanical resistance [Rms]	2.88 kg/s
Moving mass [Mms]	135 g
Suspension compliance [Cms]	0.65 mm/N
Effective diaph. diameter [D]	244 mm
Effective piston area [Sd]	466 cm ²
Equivalent volume [Vas]	197 l
Sensitivity (2.83V/1m)	89 dB
Ratio Bl/√Re	6.51 N/√W
Ratio fs/Qts	53 Hz

Notes:

IEC specs. refer to IEC 60268-5 third edition.
All Scan-Speak products are RoHS compliant.
Data are subject to change without notice.
Datasheet updated: February 22, 2011.

Electrical Data

Nominal impedance [Zn]	4 Ω
Minimum impedance [Zmin]	3.3 Ω
Maximum impedance [Zo]	40.9 Ω
DC resistance [Re]	2.6 Ω
Voice coil inductance [Le]	0.83 mH

Power Handling

100h RMS noise test (IEC 17.1)	150 W
Long-term max power (IEC 17.3)	350 W

Voice Coil and Magnet Data

Voice coil diameter	51 mm
Voice coil height	33 mm
Voice coil layers	4
Height of gap	8 mm
Linear excursion	± 12.5 mm
Max mech. excursion	± 28 mm
Unit weight	6.3 kg

